



Quick start guide

This quick start guide contains important information on the safe operation of the product. Read and follow the safety advice and instructions given. Retain the quick start guide for future reference. If you pass the product on to others please include this quick start guide.

Safety instructions

Intended use

This product is used for the voltage supply of up to 8 effects pedals. Any other use or use under other operating conditions is considered to be improper and may result in personal injury or property damage. No liability will be assumed for damages resulting from improper use.

Danger for children



Ensure that plastic bags, packaging, etc. are disposed of properly and are not within reach of babies and young children. Choking hazard! Ensure that children do not detach any small parts from the product. They could swallow the pieces and choke! Never let children unattended use electrical devices.

Where to use the product

Never use the product

- in conditions of extreme temperature or humidity
- in extremely dusty or dirty areas
- at locations where the unit can become wet

General handling


- To prevent damage, never use force when handling the product.
- Never immerse the product in water. Just wipe it with a clean dry cloth. Do not use liquid cleaners such as benzene, thinners or flammable cleaning agents.

Features

- Individually regulated 8 outputs DC Power Distributor for effect pedals
- 1 Ampère high current switch mode wallplug AC adaptor included
- 8 pcs DC cable set included (2 × short / 3 × mid / 3 × long)
- 2 × 6 12 V =, 100 mA adjustable voltage output
- 6 × 9 V ==, 100 mA fixed voltage output

- Individual output status indicator LEDs
- Short protect / hum filter / common ground
- 3 blue LEDs for pedal board illumination
- Low input power indicator LED
- Dimensions (W \times H \times T): 115 mm \times 35 mm \times 71 mm

Controls and connections



- $\textcircled{1} \ \, \text{Lighting on/off}$
- ② Connection socket for power adapter
- LED-Anzeige für die Eingangsspannung Bright: power o.k.
 Blinking: power low
 Off: no power or very low
- Status LEDs of the outputs A H
 Bright (*) when standby
- Normal (♣) when working

 Off (○) when overload or short circuit
- DC outputs for effect pedals with adjustable output voltage (6 - 12 V =, 100 mA)
- 6 Output voltage control for the outputs G and H
- DC outputs for effect pedals with fix output voltage (9 V —, 100 mA)
- Blue LEDs for pedal board illumination



For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling. Ensure that plastic bags, packaging, etc. are properly disposed of. Do not just dispose of these materials with your normal household waste, but make sure that they are collected for recycling. Please follow the notes and markings on the packaging.



The plasticiser contained in the rubber feet of this product may possibly react with the coating of your parquet, linoleum, laminate or PVC floor and after some time cause permanent dark stains. In case of doubt, do not put the rubber feet directly on the floor, but use felt-pad floor protectors or a carpet.



This product is subject to the European Waste Electrical and Electronic Equipment Directive (WEEE) in its currently valid version. Do not dispose of your old device with your normal household waste. Dispose of this product through an approved waste disposal firm or through your local waste facility. Comply with the rules and regulations that apply in your country. If in doubt, consult your local waste disposal facility.