


FCB1010

MIDI FOOT CONTROLLER

Technical Specifications

Version 1.0 September 2001

ENGLISH



BEHRINGER



INSTRUMENT AMPLIFICATION

MIDI FOOT CONTROLLER

Ultra-flexible MIDI FOOT CONTROLLER with two expression pedals and MIDI merge function

- ▲ 10 banks of presets, each with 10 fully user-editable presets customized for BEHRINGER amplifiers
- ▲ Two expression pedals with freely assignable MIDI channel, controller number and range
- ▲ Simultaneous transmission of five MIDI program change commands and two MIDI controllers per preset
- ▲ MIDI NOTE commands for trigger and tap-tempo applications
- ▲ Two programmable, relais controlled SWITCH jacks, e.g. to select channels on any guitar amp
- ▲ Enhanced ergonomic design
- ▲ No need to take a seat—everything can be easily programmed while standing up
- ▲ Global Setup allows for individual customization
- ▲ MIDI SysEx backup function
- ▲ MIDI MERGE function allows for SOFT THROUGH and merging of controller and input data
- ▲ Built-in power supply ensures troublefree operation
- ▲ Open architecture for future software upgrades
- ▲ Extremely rugged construction ensures long life even under the most demanding conditions
- ▲ Manufactured under ISO9000 certified management system

SPECIFICATIONS

MIDI INTERFACE

Type 5-pin DIN jacks IN and OUT / THRU

DISPLAY

Type 3-digit LED

SWITCHING OUTPUT

Type 1/4" jack (open)

POWER SUPPLY

| | | |
|-------------------|------------------------|--|
| Mains voltage | USA/Canada | 120 V ~, 60 Hz |
| | U.K./Australia | 240 V ~, 50 Hz |
| | Europe | 230 V ~, 50 Hz |
| | Export model (general) | 100 - 120 V ~, 200 - 240 V ~, 50 - 60 Hz |
| Power consumption | 10 W | |
| Fuse | 100 - 120 V ~: | T 100 mA H |
| | 200 - 240 V ~: | T 50 mA H |
| Mains connection | Standard IEC connector | |

PHYSICAL/WEIGHT

| | |
|------------------------|---|
| Dimensions (H x W x D) | approx. 2 3/8" (60 mm) x 27" (687 mm) x 8 3/4" (221 mm) |
| Weight | approx. 3.5 kg |

The information contained in this manual is subject to change without notice. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER Spezielle Studiotechnik GmbH.
BEHRINGER is a registered trademark. ALL RIGHTS RESERVED. BEHRINGER Instrument Amplification is a Division of BEHRINGER.
© 2001 BEHRINGER Spezielle Studiotechnik GmbH.
BEHRINGER Spezielle Studiotechnik GmbH, Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Münchheide II, Germany
Tel. +49 (0) 21 54 / 92 06-0, Fax +49 (0) 21 54 / 92 06-30
