

ULTIMATE
SUPPORT™

Speaker Stands

AIR-POWERED Series

TELELOCK™ Series

ORIGINAL Series

CLASSIC Series

SATELLITE POLES Series

TRIPOD

SPEAKER STANDS



TS-100B
Air-Powered Series

TS-90B
TeleLock™ Series

TS-80B
Original Series


TS-70B
Classic Series

ULTIMATE
SUPPORT™
LIMITED LIFETIME WARRANTY

AIR-POWERED SERIES

Aluminum Tripod Speaker Stands That Automatically Raise Speakers

Air-Powered Series speaker stands from Ultimate Support represent everything all other speaker stands aspire to be. They're incredibly strong, extraordinarily sturdy, lightweight, 100% field serviceable, AND raise and lower speakers on their own! Driven by innovation and years of research and development, the Air-Powered Series features an internal shock that lifts speakers weighing 50 lbs and less with no effort, and requires just one hand's worth of effort to raise speakers weighing more than 50 lbs!



TS -100B

Air-power Speaker Stand with Integrated Speaker Adapter

Over-sized Heavy Wall Aluminum Tubing

The entire stand (legs, mast, and telescoping tube) uses oversized, heavy-walled aluminum tubing for durability, functionality, and weight savings. The Air-Powered Series will not rust or corrode (thanks to its architectural anodized finish), is very smooth to operate, and is extraordinarily strong. It might be the last speaker stand you ever have to buy!

Patented Tripod Design

The Air-Powered Series offset tripod base design provides more support than typical off-the-shelf speaker stands. The design makes for very tight internal fittings, doing away with unnecessary sloppy leg problems and includes a super strong die-cast metal collar that prevents over-tightening and breakage issues associated with all plastic designs.

AIR-POWERED TECHNOLOGY

Raise and Lower Speakers with Ease!

Air-Powered Series speaker stands from Ultimate Support are the easiest speaker stands in the world to use thanks to the internal air-powered shock that literally raises the speaker for you. The stand's internal shock easily raises speakers weighing 50 lbs and less with no effort from the user (the Mackie SRM Series, JBL EON Series, and QSC K Series all weigh far less than 50 lbs, for instance). And, the TS-100 requires very little effort from the end user to raise speakers weighing more than 50 lbs. When you're ready to lower the speaker, we've provided a convenient and ergonomic hand grip from which you can lower the speaker. There's never been an easier, more convenient, or safer way to set up and tear down speakers.



Rendering of internal shock.



TS-110B
Extra Tall Air-Powered Speaker Stand



TS-110BL
Extra Tall Air-power Speaker Stand with Leveling Leg

100% Field Serviceable Parts

From the foot caps on the bottom of the tripod legs all the way up to the speaker adapter at the top of the stand, all Air-Powered Series speaker stands are serviceable by parts as needed over their very long lifespan. In the unlikely event that something does break, simply repair with an affordable part instead of throwing the entire stand away and buying a whole new one!

TS-110B and TS-110BL

The TS-100B is plenty tall enough for most normal situations. However, when you need to get your speaker, lighting tree, light truss, or whatever, up a little higher, the TS-110B is the perfect stand for you - it adds an additional 26" of height (up to 11'2")! The TS-110BL also features the additional height but adds a leveling leg that allows you to place it on uneven surfaces, risers, or stairs!

TELELOCK™ SERIES

Aluminum Tripod Speaker Stands with TeleLock™ Lift Assist Technology

The TeleLock™ Series speaker stands from Ultimate Support are extraordinarily strong yet lightweight due to their over-sized heavy wall aluminum tubing. The TeleLock™ collar gives the user the ability to safely raise or lower the stand WHILE a speaker is on it thanks to the Auto-lock technology that securely grips the telescoping tube in place as you set its height.



TS-90B

TeleLock™ Series Lift-assist Aluminum
Speaker Stand with Integrated Speaker Adapter

Over-sized Heavy Wall Aluminum Tubing

The entire stand (legs, mast, and telescoping tube) uses oversized, heavy-walled aluminum tubing for durability, functionality, and weight savings. The TeleLock™ Series will not rust or corrode (thanks to its architectural anodized finish), is very smooth to operate, and is extraordinarily strong.

Patented Tripod Design

The TeleLock™ Series offset tripod base design provides more support than typical off-the-shelf speaker stands. The design makes for very tight internal fittings, doing away with unnecessary sloppy leg problems and includes a super strong die-cast metal collar that prevents over-tightening and breakage issues associated with all plastic designs.

TELELOCK™ TECHNOLOGY

Built-in, Patented Lift Assist Technology!

TeleLock™ Series speaker stands are some of the easiest speaker stands to use thanks to the patented TeleLock™ collar. Set the TeleLock™ collar to the “Raise” setting and the Auto-lock technology provides just the right amount of resistance to lock the telescoping pole in place while you adjust the height of your speaker. Set it to the “Lower” setting and gently guide your speaker down. Set it to the “Lock” setting and the speaker will securely lock in place.

Owning and using TeleLock™ speaker stands is like having tour support built into every show you perform!



TS-99B
Extra Tall TeleLock™
Speaker Stand



TS-99BL
Extra Tall TeleLock™ Speaker
Stand with Leveling Leg

100% Field Serviceable Parts

From the foot caps on the bottom of the tripod legs all the way up to the speaker adapter at the top of the stand, all TeleLock™ Series speaker stands are serviceable by parts as needed over their very long lifespan. In the unlikely event that something does break, simply repair with an affordable part instead of throwing the entire stand away and buying a whole new one!

TS-99B and TS-99BL

The TS-90B is plenty tall enough for most normal situations. However, when you need to get your speaker, lighting tree, light truss, or whatever, up a little higher, the TS-99B is the perfect stand for you - it adds an additional 26" of height (up to 11'2")! The TS-99BL also features the additional height but adds a leveling leg that allows you to place it on uneven surfaces, risers, or stairs!

ORIGINAL SERIES

Industry Standard Aluminum Speaker Stands with Patented Tripod Design

The Original Series speaker stands from Ultimate Support are extraordinarily strong yet lightweight due to their over-sized heavy wall aluminum tubing. They're everything you'd expect from an Ultimate Support speaker stand – they're strong, sturdy, lightweight, and 100% field serviceable.



TS-88B
Extra Tall Aluminum Tripod Speaker Stand - Black

TS-80B / TS-80S
Durable and Strong Aluminum Tripod Speaker Stand - Black or Silver

Patented Tripod Design (Original Series)

The TS-80's offset tripod base design provides more support than typical "off-the-shelf" speaker stands. The design makes for very tight internal fittings, doing away with unnecessary sloppy leg problems.

Patented Die-cast Metal Collar (Original Series)

The strongest leg fitting made, the collar on the TS-80's tripod leg fitting (TLF) prevents over-tightening and breakage issues associated with all plastic designs. Plus, our die-cast fitting is 30x stronger than ABS or Nylon plastic used by the competition.

CLASSIC SERIES

Strong and Sturdy Aluminum Tripod Speaker Stand with Secure Locking Pin

Built for the budget-minded situation, the TS-70B is a professional-grade speaker stand with an entry-level price tag. Strong aluminum tubing, glass-reinforced fittings/collar, and superior design make the TS-70B the strongest speaker stand in its class.



Locking pin for additional safety and security.

Light weight, strong aluminum tubing.

Super strong glass-reinforced polycarbonate fittings and collar.

TS-70B

Aluminum Tripod Speaker Stand with Secure Locking Pin

Strongest Speaker Stand In Its Class (TS-70B)

The TS-70B is the strongest tripod speaker stand in its class. In our load tests - performed dozens of times - the TS-70B does not show failure until well after its load capacity is applied. Long after most stands in its price range fail, the TS-70B will continue to perform and securely hold your speakers.

Safe and Secure (TS-70B)

The TS-70B features an ergonomic "Z" knob for tightening the tripod legs into place and the telescoping tube to the exact desired height. For added security, we've added a locking pin mechanism that ensures the position of the telescoping tube. With a TS-70B, your speaker will always be safe and secure - exactly where you want it to be!

VISIT OUR NEW WEBSITE
www.ultimatesupport.com

ULTIMATE
SUPPORT™
LIMITED LIFETIME WARRANTY

	Air-Powered Series			TeleLock™ Series			Original Series			Classic Series
	TS-100B	TS-110B	TS-110BL	TS-90B	TS-99B	TS-99BL	TS-80B	TS-80S	TS-88B	TS-70
Load Capacity	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)	150 lbs (68.2 kg)
Height	3'8" - 6'7" (1118 mm - 2007 mm)	5'2" - 9'2" (1575 mm - 2794 mm)	5'2" - 9'2" (1575 mm - 2794 mm)	3'8" - 6'7" (1118 mm - 2007 mm)	5'2" - 9'2" (1575 mm - 2794 mm)	5'2" - 9'2" (1575 mm - 2794 mm)	3'8" - 6'7" (1118 mm - 2007 mm)	3'8" - 6'7" (1118 mm - 2007 mm)	5'2" - 9'2" (1575 mm - 2794 mm)	4'2" - 6'5" (1270 mm - 1956 mm)
Weight	12.1 lbs. (5.5 kg)	13.1 lbs. (5.5 kg)	13.5 lbs. (5.5 kg)	7.3 lbs. (3.3 kg)	9.8 lbs. (4.5 kg)	10.2 lbs. (4.5 kg)	7.3 lbs. (3.3 kg)	7.3 lbs. (3.3 kg)	9.8 lbs. (4.5 kg)	5 lbs. (2.4 kg)
Base Diameter	47" (1194 mm)	62" (1575 mm)	62" (1575 mm)	47" (1194 mm)	62" (1575 mm)	62" (1575 mm)	47" (1194 mm)	47" (1194 mm)	62" (1575 mm)	40" (1016 mm)
Color	Black	Black	Black	Black	Black	Black	Black	Silver	Black	Black
Part Number	16759	17356	17357	13908	13910	13642	13904	13903	13906	13712



**ULTIMATE
SUPPORT™**

LIMITED LIFETIME WARRANTY

Ultimate Support products are constructed of the finest materials and designed and tested to stand up to the demanding lifestyle of the touring musician, gigging DJ, and working sound engineer. In the unlikely event that a product should fail due to manufacturing defect, Ultimate Support is pleased to repair or replace that product.

Please see www.ultimatesupport.com for more information.

This warranty applies to the original purchaser only and does not include damage to the product resulting from normal wear and tear, accident, misuse, improper installation or operation, or unauthorized repair or alterations.

**ULTIMATE
SUPPORT™**

5836 Wright Drive . Loveland, CO 80538 . 800.525.5628 . www.ultimatesupport.com