



T-Bar 120 truss beam



Musikhaus Thomann
Thomann GmbH
Hans-Thomann-Straße 1
96138 Burgebrach
Germany
Telephone: +49 (0) 9546 9223-0
E-mail: info@thomann.de
Internet: www.thomann.de

11.09.2015, ID: 354938

Table of contents

1	General notes	4
	1.1 Further information.....	5
	1.2 Symbols and signal words.....	6
2	Safety instructions	7
3	Features	9
4	Operating	10
5	Technical specifications	13
6	Protecting the environment	14

1 General notes

This manual contains important instructions for the safe operation of the product. Read and follow the safety instructions and all other instructions. Keep the manual for future reference. Make sure that it is available to all those using the product. If you sell the unit, please make sure that the buyer also receives this manual.

Our products are subject to a process of continuous development. Thus, they are subject to change.


1.1 Further information

On our website (www.thomann.de) you will find lots of further information and details on the following points:

Download	This manual is also available as PDF file for you to download.
Keyword search	Use the search function in the electronic version to find the topics of interest for you quickly.
Online guides	Our online guides provide detailed information on technical basics and terms.
Personal consultation	For personal consultation please contact our technical hotline.
Service	If you have any problems with the device the customer service will gladly assist you.

1.2 Symbols and signal words

In this section you will find an overview of the meaning of symbols and signal words that are used in this manual.

Signal word	Meaning
DANGER!	This combination of symbol and signal word indicates an immediate dangerous situation that will result in death or serious injury if it is not avoided.
CAUTION!	This combination of symbol and signal word indicates a possible dangerous situation that can result in minor injury if it is not avoided.
Warning signs	Type of danger
	Warning – danger zone.

2 Safety instructions

Intended use

This truss beam is used for stable mounting of headlights to light tripods. Use the product only as described in this user manual. Any other use or use under other operating conditions is considered to be improper and may result in personal injury or property damage. No liability will be assumed for damages resulting from improper use.

This device may be used only by persons with sufficient physical, sensorial, and intellectual abilities and having corresponding knowledge and experience. Other persons may use this device only if they are supervised or instructed by a person who is responsible for their safety.

Safety



DANGER!

Danger for children

Ensure that plastic bags, packaging, etc. are properly disposed of and are not in the reach of babies and young children. Choking hazard!

Ensure that children do not detach any small parts (e.g. knobs or the like) from the product. They could swallow the pieces and choke!

Never let children play unattended with the product.



CAUTION!

Danger of tipping from excessive or one-sided loading

In case of excessive or one-sided loading of the truss beam the tripod might tip over, causing injury and property damage.

Never exceed the specified maximum load for the truss beam. Spread the mounted spotlights evenly on the truss beam.

3 Features

Special characteristics:

- Sturdy metal construction
- TV spigot (28 mm adapter) included
- Up to six spotlights mountable
- Maximum weight-bearing capacity: 45 kg
- Width: 1.20 m

4 Operating

Unpack and check carefully there is no transportation damage before using the product. Keep the equipment packaging. To fully protect the product against vibration, dust and moisture during transportation or storage use the original packaging or your own packaging material suitable for transport or storage, respectively.



CAUTION!

Danger of tipping from excessive or one-sided loading

In case of excessive or one-sided loading of the truss beam the tripod might tip over, causing injury and property damage.

Never exceed the specified maximum load for the truss beam. Spread the mounted spotlights evenly on the truss beam.

Setting up



Mount the TV spigot (28 mm adapter) to the tripod and tighten it with the locking screw at the mounting; put on the truss beam and fix it in the desired position with the wing nut. Affix up to six spotlights to the truss beam. Spread the spotlights evenly on the truss beam. Observe the instructions of the respective manufacturers. The maximum load capacity of 45 kg in total must not be exceeded.

Dismounting

Remove the spotlights. When dismounting, take care for balanced load, too.

Loosen the safety screw on the truss beam mounting and detach the truss beam.

Pack all parts of the system in their original package, as possible, and store the package in a dry place protected against moisture.

5 Technical specifications

Maximum weight-bearing capacity	45 kg
Colour	Black
Dimensions (W × H × D)	120 cm × 2 cm × 4 cm

6 Protecting the environment

Disposal of the packaging material



For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling.

Ensure that plastic bags, packaging, etc. are properly disposed of.

Do not just dispose of these materials with your normal household waste, but make sure that they are collected for recycling. Please follow the notes and markings on the packaging.



