Harley Benton

Mighty-5TH

Guitar Amp Head

Thomann GmbH

96138 Burgebrach

Hans-Thomann-Straße 1

Germany

Telephone: +49 (0) 9546 9223-0

Internet: www.thomann.de

21.10.2022, ID: 420283 (V2)

Table of contents

1	General information
	1.1 Further information
	1.2 Notational conventions
	1.3 Symbols and signal words
2	Safety instructions
3	Features
4	Installation and starting up 1
5	Connections and controls
6	Technical specifications
7	Plug and connection assignment
8	Cleaning
9	Protecting the environment



General information

This user manual contains important information on the safe operation of the device. Read and follow all safety notes and all instructions. Save this manual for future reference. Make sure that it is available to all persons using this device. If you sell the device to another user, be sure that they also receive this manual.

Our products and user manuals are subject to a process of continuous development. We therefore reserve the right to make changes without notice. Please refer to the latest version of the user manual which is ready for download under www.thomann.de.

1.1 Further information

On our website (<u>www.thomann.de</u>) you will find lots of further information and details on the following points:

Download	This manual is also available as PDF file for you to download.
Keyword search	Use the search function in the electronic version to find the topics of interest for you quickly.
Online guides	Our online guides provide detailed information on technical basics and terms.
Personal consultation	For personal consultation please contact our technical hotline.
Service	If you have any problems with the device the customer service will gladly assist you.

1.2 Notational conventions

This manual uses the following notational conventions:

Letterings

The letterings for connectors and controls are marked by square brackets and italics.

Examples: [VOLUME] control, [Mono] button.

1.3 Symbols and signal words

In this section you will find an overview of the meaning of symbols and signal words that are used in this manual.

Signal word	Meaning		
DANGER!	This combination of symbol and signal word indicates an immediate dangerous situation that will result in death or serious injury if it is not avoided.		
CAUTION!	This combination of symbol and signal word indicates a possible dangerous situation that can result in minor injury if it is not avoided.		
NOTICE!	This combination of symbol and signal word indicates a possible dangerous situation that can result in material and environmental damage if it is not avoided.		

Warning signs	Type of danger
A	Warning – high-voltage.
<u>^</u>	Warning – danger zone.

2 Safety instructions

Intended use

This device is intended to be used for the amplification of signals from musical instruments with electromagnetic pickups. Use the device only as described in this user manual. Any other use or use under other operating conditions is considered to be improper and may result in personal injury or property damage. No liability will be assumed for damages resulting from improper use.

This device may be used only by persons with sufficient physical, sensorial, and intellectual abilities and having corresponding knowledge and experience. Other persons may use this device only if they are supervised or instructed by a person who is responsible for their safety.

Safety



DANGER!

Danger for children

Ensure that plastic bags, packaging, etc. are disposed of properly and are not within reach of babies and young children. Choking hazard! Ensure that children do not detach any small parts (e.g. knobs or the like) from the unit. They could swallow the pieces and choke! Never let children unattended use electrical devices.



DANGER!

Electric shock caused by high voltages inside

Within the device there are areas where high voltages may be present. Never remove any covers. There are no user-serviceable parts inside. Do not use the device if covers, protectors or optical components are missing or damaged.



DANGER!

Electric shock caused by short-circuit

Always use proper ready-made insulated mains cabling (power cord) with a protective contact plug. Do not modify the mains cable or the plug. Failure to do so could result in electric shock/death or fire. If in doubt, seek advice from a registered electrician.



CAUTION!

Possible hearing damage

With loudspeakers connected, the device can produce volume levels that may cause temporary or permanent hearing impairment. Over an extended period of time, even levels that seem to be uncritical can cause hearing damage. Do not operate the device permanently at a high volume level. Decrease the volume level immediately if you experience ringing in your ears or hearing impairment. If this is not possible, keep a bigger distance to the speaker or use sufficient ear protectors.



NOTICE!


Risk of fire

Do not block areas of ventilation. Do not install the device near any direct heat source. Keep the device away from naked flames.



NOTICE!

Operating conditions



NOTICE!

Power supply

Before connecting the device, ensure that the input voltage (AC outlet) matches the voltage rating of the device and that the AC outlet is protected by a residual current circuit breaker. Failure to do so could result in damage to the device and possibly injure the user. Unplug the device before electrical storms occur and when it is unused for long periods of time to reduce the risk of electric shock or fire.

NOTICE!

Possible damage due to installation of a wrong fuse

The use of different types of fuses can cause serious damage to the unit. Fire hazard! Only fuses of the same type may be used.

NOTICE!

Possible staining

• The plasticiser contained in the rubber feet of this product may possibly react with the coating of your surface and after some time cause permanent dark stains. In case of doubt, do not put the rubber feet directly on the surface and use a suitable underlay if necessary, i.e. felt pads or similar.

3 Features


- Tube amp head for electric guitar
- Class A circuit
- Built-in power soak for 1 W and 0.1 W allows for tube overdrive sounds with room volume level
- 1 channel
- 5 watt output power
- 12AX7 preamp tube
- EL84 power tube
- Controls for bass, treble and volume
- Speaker outputs for 8 and 16 Ω
- Robust metal housing

Installation and starting up

Unpack and check carefully there is no transportation damage before using the unit. Keep the equipment packaging. To fully protect the product against vibration, dust and moisture during transportation or storage use the original packaging or your own packaging material suitable for transport or storage, respectively.

Create all connections while the device is off. Use the shortest possible high-quality cables for all connections. Take care when running the cables to prevent tripping hazards.

5 Connections and controls



- 1 [INPUT] | 1/4" jack socket to connect your instrument
- 2 [BASS] | control for boosting / attenuating the bass
- 3 [TREBLE] | control for boosting / attenuating the treble
- 4 [VOLUME] | control to adjust the volume
- 5 [POWER] | main switch. Turns the device on and off.
- 6 IEC chassis plug for connecting the mains cable with fuse holder
- 7 [POWER ATTENUATOR] | switch to reduce the power to 1 W or 0.1 W at the 8 Ω output. If the switch is in the 5 W position, no power reduction takes place.
- 8 $[8 \Omega]$ output for connecting speaker boxes with 8 Ω impedance
- 9 [POWER ATTENUATOR] | switch to reduce the power to 1 W or 0.1 W at the 16 Ω output. If the switch is in the 5 W position, no power reduction takes place.
- 10 $[16 \Omega]$ output for connecting speaker boxes with 16 Ω impedance

6 Technical specifications

Speaker	Preamp	1 × 12AX7	
	Power amplifier	1 × EL84	
Amp class	A		
Output power	max. 15 W @ 8 or 16 Ω		
Input connections	Power supply	IEC chassis plug C14	
	Instrument	1/4" jack socket	
Output connections	Speaker	1/4" jack socket (8 Ω)	
		1/4" jack socket (16 Ω)	
Supply voltage	Itage $230 \text{ V} \sim 50 \text{ Hz}$		
Fuse	5 mm × 20 mm, 1 A, 250 V, slow-blow		
Dimensions (W \times H \times D)	205 mm × 127 mm × 140 mm		
Weight	3.2 kg		
Ambient conditions	Temperature range	0 °C40 °C	
	Relative humidity	20 %80 % (non-condensing)	

Further information

Power rating	5 W
Power tubes	EL84
Channels	1
Reverb	no
Foot switch	no

7 Plug and connection assignment

Introduction

This chapter will help you select the right cables and plugs to connect your valuable equipment in such a way that a perfect sound experience is ensured.

Please note these advices, because especially in 'Sound & Light' caution is indicated: Even if a plug fits into the socket, an incorrect connection may result in a destroyed power amp, a short circuit or 'just' in poor transmission quality!

1/4" TS phone plug (mono, unbalanced)



1	Signal
2	Ground, shielding

Cleaning

Device components

Clean the device components that are accessible from the outside regularly. The cleaning frequency depends on the operating environment: damp, smoky or particularly dirty environments can cause greater accumulation of dirt on the device components.

- Clean with a dry soft cloth.
- Stubborn dirt can be removed with a slightly dampened cloth.
- Never use solvents or alcohol for cleaning.

9 Protecting the environment

Disposal of the packaging material



For the transport and protective packaging, environmentally friendly materials have been chosen that can be supplied to normal recycling.

Ensure that plastic bags, packaging, etc. are properly disposed of.

Do not just dispose of these materials with your normal household waste, but make sure that they are collected for recycling. Please follow the notes and markings on the packaging.

Disposal of your old device



This product is subject to the European Waste Electrical and Electronic Equipment Directive (WEEE) in its currently valid version. Do not dispose with your normal household waste.

Dispose of this device through an approved waste disposal firm or through your local waste facility. When discarding the device, comply with the rules and regulations that apply in your country. If in doubt, consult your local waste disposal facility.