


Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / all

Measurement file: 367135_1m_all.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:57



R1 = 65,9	Ra = 66,1	Illuminance	8841,01 lx	CIE1931
R2 = 90,6	Re = 57,6	Ee	25,644 W/m ²	x = 0,4240
R3 = 80,5	GAI = 58,8	LER	344,8 lm/W	y = 0,3789
R4 = 61,6				
R5 = 69,2		correlated color temperature (CCT)	2998 K	CIE1976
R6 = 89,1		Duv	-0,0086	u' = 0,2532
R7 = 58,7				v' = 0,5091
R8 = 12,9		Saturation	40,8 %	
R9 = -93,7				CIE1960
R10 = 80,8		Dominant wavelength	586 nm	u = 0,2532
R11 = 62,7		Peak wavelength	596 nm	v = 0,3394
R12 = 73,2				
R13 = 74,3		Flicker frequency	978,3 Hz	TM30
R14 = 89,2		Percent Flicker	f > 400 Hz %	Rf = 70,2
R15 = 48,4		Flicker index	f > 400 Hz	Rg = 89,2

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	1,31	440	52,86	500	48,39	560	104,71	620	105,50	680	34,95	740	7,69
385	1,48	445	85,65	505	55,90	565	111,33	625	95,47	685	30,63	745	7,15
390	1,14	450	118,37	510	63,10	570	121,24	630	87,90	690	27,04	750	5,60
395	1,65	455	125,91	515	69,38	575	137,51	635	82,07	695	23,81	755	4,82
400	1,74	460	104,56	520	74,64	580	163,22	640	76,05	700	21,05	760	3,91
405	1,52	465	78,63	525	79,31	585	203,19	645	69,90	705	18,59	765	3,55
410	2,03	470	61,86	530	83,14	590	257,27	650	64,26	710	16,44	770	3,02
415	2,64	475	48,73	535	86,57	595	299,27	655	58,65	715	14,16	775	2,87
420	4,77	480	39,96	540	89,63	600	286,39	660	53,89	720	12,22	780	2,75
425	8,97	485	37,28	545	92,25	605	220,41	665	48,77	725	10,18		
430	16,65	490	39,02	550	95,62	610	159,02	670	43,73	730	9,17		
435	30,65	495	42,78	555	99,71	615	123,49	675	39,10	735	9,14		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018

First, last name of inspector







Measurement protocol

th•mann

Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / all

Measurement file: 367135_1m_all.CS
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:57

mW/m²/nm



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / all

Measurement file: 367135_3m_all.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:02:09



R1 = 66,1	Ra = 66,2	Illuminance	1265,04 lx	CIE1931
R2 = 90,7	Re = 57,7	Ee	3,662 W/m ²	x = 0,4253
R3 = 80,5	GAI = 58,5	LER	345,4 lm/W	y = 0,3794
R4 = 61,7				
R5 = 69,4		correlated color temperature (CCT)	2980 K	CIE1976
R6 = 89,2		Duv	-0,0086	u' = 0,2539
R7 = 58,7				v' = 0,5095
R8 = 12,9		Saturation	41,4 %	
R9 = -93,3				CIE1960
R10 = 81,1		Dominant wavelength	586 nm	u = 0,2539
R11 = 62,8		Peak wavelength	596 nm	v = 0,3396
R12 = 73,5				
R13 = 74,5		Flicker frequency	978,3 Hz	TM30
R14 = 89,2		Percent Flicker	f > 400 Hz %	Rf = 70,2
R15 = 48,6		Flicker index	f > 400 Hz	Rg = 89,0

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,21	440	7,45	500	6,90	560	14,93	620	15,23	680	4,92	740	1,00
385	0,04	445	12,04	505	7,97	565	15,93	625	13,71	685	4,36	745	0,88
390	0,16	450	16,76	510	8,96	570	17,32	630	12,67	690	3,87	750	0,73
395	0,19	455	17,89	515	9,88	575	19,66	635	11,79	695	3,45	755	0,71
400	0,09	460	14,86	520	10,64	580	23,27	640	10,94	700	3,06	760	0,58
405	0,20	465	11,25	525	11,31	585	28,95	645	10,12	705	2,67	765	0,49
410	0,18	470	8,78	530	11,90	590	36,60	650	9,28	710	2,27	770	0,43
415	0,28	475	6,95	535	12,35	595	42,79	655	8,50	715	1,99	775	0,40
420	0,66	480	5,68	540	12,74	600	41,31	660	7,77	720	1,71	780	0,37
425	1,21	485	5,32	545	13,18	605	31,96	665	6,98	725	1,49		
430	2,32	490	5,53	550	13,66	610	23,07	670	6,26	730	1,31		
435	4,32	495	6,07	555	14,22	615	17,94	675	5,57	735	1,10		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018

First, last name of inspector







Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / all

Measurement file: 367135_3m_all.CS
 Date of measurement: 23.03.2018
 Time of measurement: 13:02:09

mW/m²/nm



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / CW

Measurement file: 367135_1m_cw.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 12:59:09



R1 = 77,6	Ra = 80,5	Illuminance	4254,78 lx	CIE1931
R2 = 85,6	Re = 72,3	Ee	13,436 W/m ²	x = 0,3198
R3 = 90,1	GAI = 83,6	LER	316,7 lm/W	y = 0,3430
R4 = 78,7				
R5 = 78,0		correlated color temperature (CCT)	6071 K	CIE1976
R6 = 79,3		Duv	0,0068	u' = 0,1975
R7 = 87,9				v' = 0,4767
R8 = 67,2		Saturation	4,1 %	
R9 = -0,4				CIE1960
R10 = 64,8		Dominant wavelength	499 nm	u = 0,1975
R11 = 76,3		Peak wavelength	451 nm	v = 0,3178
R12 = 52,3				
R13 = 79,7		Flicker frequency	978,6 Hz	TM30
R14 = 94,7		Percent Flicker	f > 400 Hz %	Rf = 79,1
R15 = 72,2		Flicker index	f > 400 Hz	Rg = 93,7

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,58	440	52,09	500	39,65	560	66,90	620	44,85	680	13,67	740	2,73
385	0,44	445	87,46	505	45,35	565	66,62	625	41,79	685	12,09	745	2,34
390	0,64	450	117,67	510	50,69	570	65,94	630	38,75	690	10,41	750	1,99
395	0,81	455	117,03	515	55,37	575	64,96	635	35,88	695	9,25	755	1,66
400	0,73	460	90,68	520	58,96	580	63,81	640	32,90	700	8,07	760	1,52
405	0,83	465	67,05	525	61,59	585	62,35	645	29,83	705	7,05	765	1,38
410	1,03	470	51,46	530	63,74	590	60,41	650	27,03	710	6,17	770	1,40
415	1,51	475	39,21	535	64,98	595	58,23	655	24,55	715	5,29	775	1,21
420	3,28	480	32,31	540	65,81	600	55,99	660	22,07	720	4,52	780	1,05
425	6,95	485	30,17	545	66,35	605	53,54	665	19,84	725	3,97		
430	14,69	490	31,19	550	66,75	610	50,80	670	17,52	730	3,47		
435	28,55	495	34,61	555	66,78	615	47,87	675	15,46	735	3,09		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018







First, last name of inspector

Measurement protocol

th•mann

Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / CW

Measurement file: 367135_1m_cw.CS
 Date of measurement: 23.03.2018
 Time of measurement: 12:59:09



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / CW

Measurement file: 367135_3m_cw.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 12:59:27



R1 = 77,5	Ra = 80,5	Illuminance	605,27 lx	CIE1931
R2 = 85,5	Re = 72,2	Ee	1,903 W/m ²	x = 0,3210
R3 = 90,1	GAI = 83,3	LER	318,1 lm/W	y = 0,3441
R4 = 78,6				
R5 = 77,9		correlated color temperature (CCT)	6012 K	CIE1976
R6 = 79,3		Duv	0,0068	u' = 0,1979
R7 = 87,9				v' = 0,4774
R8 = 67,0		Saturation	3,8 %	
R9 = -0,5				CIE1960
R10 = 64,8		Dominant wavelength	501 nm	u = 0,1979
R11 = 76,2		Peak wavelength	451 nm	v = 0,3183
R12 = 52,2				
R13 = 79,7		Flicker frequency	978,3 Hz	TM30
R14 = 94,7		Percent Flicker	f > 400 Hz %	Rf = 79,1
R15 = 72,1		Flicker index	f > 400 Hz	Rg = 93,7

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,04	440	7,33	500	5,61	560	9,51	620	6,42	680	1,95	740	0,35
385	0,03	445	12,31	505	6,42	565	9,48	625	5,99	685	1,70	745	0,31
390	0,06	450	16,54	510	7,16	570	9,40	630	5,55	690	1,50	750	0,27
395	0,03	455	16,52	515	7,84	575	9,26	635	5,12	695	1,31	755	0,23
400	0,05	460	12,82	520	8,36	580	9,11	640	4,70	700	1,14	760	0,19
405	0,06	465	9,47	525	8,75	585	8,89	645	4,30	705	1,00	765	0,14
410	0,09	470	7,25	530	9,03	590	8,62	650	3,89	710	0,88	770	0,13
415	0,20	475	5,53	535	9,21	595	8,32	655	3,50	715	0,74	775	0,14
420	0,42	480	4,54	540	9,35	600	7,98	660	3,15	720	0,64	780	0,06
425	0,96	485	4,25	545	9,44	605	7,64	665	2,82	725	0,54		
430	2,04	490	4,41	550	9,50	610	7,26	670	2,51	730	0,47		
435	3,98	495	4,87	555	9,51	615	6,86	675	2,21	735	0,41		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018







First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / CW

Measurement file: 367135_3m_cw.CS
 Date of measurement: 23.03.2018
 Time of measurement: 12:59:27



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / WW

Measurement file: 367135_1m_ww.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:00:14



R1 = 76,3	Ra = 79,4	Illuminance	2698,98 lx	CIE1931
R2 = 86,0	Re = 72,2	Ee	8,370 W/m ²	x = 0,4806
R3 = 96,3	GAI = 29,7	LER	322,4 lm/W	y = 0,4337
R4 = 76,7				
R5 = 74,6		correlated color temperature (CCT)	2601 K	CIE1976
R6 = 81,4		Duv	0,0067	u' = 0,2654
R7 = 85,7		Saturation	74,3 %	v' = 0,5389
R8 = 58,6				
R9 = 5,9				CIE1960
R10 = 68,0		Dominant wavelength	582 nm	u = 0,2654
R11 = 72,8		Peak wavelength	607 nm	v = 0,3593
R12 = 56,9				
R13 = 77,6		Flicker frequency	978,8 Hz	TM30
R14 = 97,3		Percent Flicker	f > 400 Hz %	Rf = 82,2
R15 = 69,2		Flicker index	f > 400 Hz	Rg = 91,1

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,43	440	5,28	500	11,84	560	38,62	620	55,32	680	22,48	740	4,34
385	0,27	445	8,53	505	14,30	565	41,29	625	53,73	685	19,99	745	3,64
390	0,46	450	11,51	510	16,85	570	44,06	630	51,75	690	17,67	750	3,28
395	0,43	455	12,14	515	19,33	575	46,68	635	49,41	695	15,57	755	2,85
400	0,32	460	10,30	520	21,50	580	49,14	640	46,68	700	13,53	760	2,77
405	0,48	465	8,42	525	23,52	585	51,51	645	43,73	705	11,93	765	2,29
410	0,37	470	7,28	530	25,50	590	53,55	650	40,47	710	10,43	770	2,00
415	0,55	475	6,29	535	27,37	595	55,05	655	37,37	715	9,01	775	1,78
420	0,45	480	6,01	540	29,36	600	56,13	660	34,27	720	7,90	780	1,58
425	1,13	485	6,61	545	31,40	605	56,78	665	31,16	725	6,65		
430	1,79	490	7,70	550	33,59	610	56,85	670	28,17	730	5,87		
435	3,11	495	9,52	555	36,06	615	56,37	675	25,26	735	5,13		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018

First, last name of inspector







Measurement protocol

th•mann

Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / WW

Measurement file: 367135_1m_ww.C
 Date of measurement: 23.03.2018
 Time of measurement: 13:00:14

mW/m²/nm



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / WW

Measurement file: 367135_3m_ww.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:00:43



R1 = 76,2	Ra = 79,3	Illuminance	391,87 lx	CIE1931
R2 = 85,9	Re = 72,0	Ee	1,212 W/m ²	x = 0,4829
R3 = 96,2	GAI = 28,5	LER	323,3 lm/W	y = 0,4347
R4 = 76,5				
R5 = 74,4		correlated color temperature (CCT)	2580 K	CIE1976
R6 = 81,2		Duv	0,0069	u' = 0,2664
R7 = 85,7		Saturation	75,3 %	v' = 0,5396
R8 = 58,4				
R9 = 5,6				CIE1960
R10 = 67,8		Dominant wavelength	582 nm	u = 0,2664
R11 = 72,5		Peak wavelength	607 nm	v = 0,3597
R12 = 56,3				
R13 = 77,5		Flicker frequency	% < 2.5 Hz	TM30
R14 = 97,3		Percent Flicker	< 2.5 %	Rf = 82,0
R15 = 69,0		Flicker index	% < 2.5	Rg = 90,7

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,01	440	0,71	500	1,68	560	5,60	620	8,09	680	3,29	740	0,62
385	0,01	445	1,18	505	2,06	565	5,99	625	7,86	685	2,92	745	0,53
390	0,02	450	1,63	510	2,42	570	6,40	630	7,57	690	2,58	750	0,45
395	0,02	455	1,70	515	2,77	575	6,78	635	7,24	695	2,27	755	0,39
400	0,00	460	1,44	520	3,09	580	7,16	640	6,85	700	1,99	760	0,34
405	0,02	465	1,19	525	3,39	585	7,49	645	6,40	705	1,72	765	0,29
410	0,03	470	1,02	530	3,67	590	7,79	650	5,93	710	1,52	770	0,25
415	0,03	475	0,88	535	3,95	595	8,02	655	5,48	715	1,32	775	0,21
420	0,07	480	0,83	540	4,23	600	8,20	660	5,02	720	1,13	780	0,18
425	0,12	485	0,92	545	4,53	605	8,28	665	4,57	725	0,97		
430	0,23	490	1,08	550	4,87	610	8,31	670	4,13	730	0,84		
435	0,41	495	1,35	555	5,22	615	8,25	675	3,68	735	0,72		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018







First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / WW

Measurement file: 367135_3m_ww.C
 Date of measurement: 23.03.2018
 Time of measurement: 13:00:43



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / A

Measurement file: 367135_1m_a.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:09



R1 = -36,7	Ra = -21,7	Illuminance	3194,89 lx	CIE1931
R2 = 50,0	Re = -46,2	Ee	6,527 W/m ²	x = 0,5752
R3 = 21,3	GAI = 0,4	LER	489,5 lm/W	y = 0,4202
R4 = -68,1				
R5 = -41,1		correlated color temperature (CCT)	1696 K	CIE1976
R6 = 36,5		Duv	0,0081	u' = 0,3338
R7 = -3,9				v' = 0,5487
R8 = #####		Saturation	98,9 %	
R9 = #####				CIE1960
R10 = 25,0		Dominant wavelength	590 nm	u = 0,3338
R11 = -98,6		Peak wavelength	594 nm	v = 0,3658
R12 = -14,1				
R13 = -18,9		Flicker frequency	978,3 Hz	TM30
R14 = 47,8		Percent Flicker	f > 400 Hz %	Rf = 4,1
R15 = -66,1		Flicker index	f > 400 Hz	Rg = 13,8

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,66	440	0,57	500	0,60	560	8,42	620	8,17	680	0,53	740	0,64
385	0,11	445	0,37	505	0,37	565	15,73	625	4,08	685	0,09	745	0,19
390	0,76	450	0,33	510	0,53	570	29,34	630	2,17	690	0,12	750	0,00
395	0,49	455	0,32	515	0,67	575	55,34	635	1,34	695	0,17	755	0,14
400	0,50	460	0,45	520	0,52	580	99,40	640	0,78	700	0,17	760	0,01
405	0,45	465	0,52	525	0,38	585	169,09	645	0,63	705	0,21	765	0,29
410	0,47	470	0,70	530	0,56	590	248,02	650	0,54	710	0,33	770	0,06
415	0,58	475	0,19	535	0,64	595	267,97	655	0,74	715	0,00	775	0,43
420	0,25	480	0,42	540	1,26	600	196,46	660	0,11	720	0,25	780	0,67
425	0,50	485	0,38	545	1,78	605	102,02	665	0,33	725	0,44		
430	0,20	490	0,19	550	2,47	610	44,75	670	0,32	730	0,44		
435	0,36	495	0,21	555	4,66	615	18,93	675	0,54	735	0,62		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018

First, last name of inspector







Measurement protocol

th•mann

Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 1 m / A

Measurement file: 367135_1m_a.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:09

mW/m²/nm



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske


First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / A

Measurement file: 367135_3m_a.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:22



R1 = -37,9	Ra = -22,7	Illuminance	446 lx	CIE1931
R2 = 49,1	Re = -47,5	Ee	0,902 W/m ²	x = 0,5775
R3 = 21,0	GAI = 0,1	LER	494,4 lm/W	y = 0,4207
R4 = -69,6				
R5 = -42,7		correlated color temperature (CCT)	1685 K	CIE1976
R6 = 35,0		Duv	0,0086	u' = 0,3351
R7 = -3,7				v' = 0,5493
R8 = #####		Saturation	99,7 %	
R9 = #####				CIE1960
R10 = 23,4		Dominant wavelength	590 nm	u = 0,3351
R11 = #####		Peak wavelength	594 nm	v = 0,3662
R12 = -17,3				
R13 = -20,3		Flicker frequency	% < 2.5 Hz	TM30
R14 = 47,5		Percent Flicker	< 2.5 %	Rf = 1,0
R15 = -67,2		Flicker index	% < 2.5	Rg = 6,6

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	0,00	440	0,01	500	0,01	560	1,14	620	1,19	680	0,04	740	0,00
385	0,05	445	0,04	505	0,03	565	2,20	625	0,51	685	0,01	745	0,00
390	0,00	450	0,01	510	0,04	570	4,10	630	0,23	690	0,00	750	0,03
395	0,01	455	0,02	515	0,03	575	7,69	635	0,16	695	0,00	755	0,00
400	0,03	460	0,02	520	0,05	580	13,90	640	0,08	700	0,00	760	0,00
405	0,00	465	0,00	525	0,03	585	23,62	645	0,05	705	0,00	765	0,01
410	0,01	470	0,04	530	0,03	590	34,69	650	0,03	710	0,02	770	0,00
415	0,01	475	0,01	535	0,08	595	37,62	655	0,04	715	0,02	775	0,00
420	0,00	480	0,01	540	0,10	600	27,68	660	0,04	720	0,01	780	0,00
425	0,00	485	0,04	545	0,20	605	14,43	665	0,01	725	0,01		
430	0,02	490	0,01	550	0,29	610	6,32	670	0,01	730	0,00		
435	0,00	495	0,00	555	0,59	615	2,70	675	0,00	735	0,00		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 23.03.2018

First, last name of inspector







Measurement protocol

th•mann

Test object: Stairville
 Octagon Theater 20x6W CW / WW / A
 Item 367135 / @ 3 m / A

Measurement file: 367135_3m_a.CSV
 Date of measurement: 23.03.2018
 Time of measurement: 13:01:22

mW/m²/nm



Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Burgebrach, 23.03.2018

Sebastian Laske

First, last name of inspector