


Measurement protocol



Test object: Stairville
 Octagon UV 36x3W
 469367 / UV / @ 2 m

Measurement file: 469367_2m.CSV
 Date of measurement: 17.10.2019
 Time of measurement: 09:58:03



R1 = -	Ra = -	Illuminance	111,98 lx	CIE1931
R2 = -	Re = -	Ee	39,272 W/m ²	x = 0,1823
R3 = -	GAI = -	LER	2,9 lm/W	y = 0,0323
R4 = -				
R5 = -		correlated color temperature (CCT)	> 50000 K	CIE1976
R6 = -		Duv	-	u' = 0,2412
R7 = -				v' = 0,0961
R8 = -		Saturation	108,6 %	
R9 = -				CIE1960
R10 = -		Dominant wavelength	#NV	u = 0,2412
R11 = -		Peak wavelength	396 nm	v = 0,0641
R12 = -				
R13 = -		Flicker frequency	% < 2.5 Hz	TM30
R14 = -		Percent Flicker	< 2.5 %	Rf = -
R15 = -		Flicker index	% < 2.5	Rg = -

[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm	[nm]	mW/m ² /nm
380	209,08	440	9,95	500	0,21	560	1,69	620	0,22	680	0,00	740	3,64
385	640,72	445	6,90	505	1,79	565	1,56	625	1,28	685	1,76	745	0,71
390	1378,07	450	5,58	510	1,19	570	2,30	630	0,30	690	0,38	750	1,23
395	1932,20	455	2,21	515	0,14	575	1,63	635	1,70	695	1,87	755	3,47
400	1654,29	460	2,76	520	2,50	580	1,18	640	0,16	700	0,22	760	1,83
405	963,44	465	4,40	525	1,39	585	0,27	645	2,30	705	1,18	765	0,00
410	491,34	470	0,82	530	0,01	590	1,19	650	0,00	710	2,24	770	2,76
415	240,34	475	2,34	535	2,42	595	0,13	655	0,00	715	0,95	775	0,34
420	120,08	480	3,01	540	1,28	600	1,87	660	2,02	720	1,53	780	2,84
425	61,28	485	0,67	545	0,65	605	1,29	665	0,38	725	0,00		
430	31,65	490	2,57	550	1,78	610	1,21	670	1,42	730	1,39		
435	18,83	495	2,16	555	0,82	615	1,38	675	1,66	735	0,06		

Thomann GmbH
 Hans-Thomann-Str. 1
 D-96138 Burgebrach, Germany

Sebastian Laske

Burgebrach, 17.10.2019

First, last name of inspector

Measurement protocol



Test object: Stairville
 Octagon UV 36x3W
 469367 / UV / @ 2 m

Measurement file: 469367_2m.CSV
 Date of measurement: 17.10.2019
 Time of measurement: 09:58:03

