

**Multifunctional 15" / 1" cabinet with a very broad frequency range and well balanced sound characteristics. With performance similar to the A 6, but with extended bass response, the A 8 is a universal full range audio tool. A variety of M8 and M10 mounting points provide for easy mounting of the accessory hardware and installation. The system is also available in the AF 8 version optimised for permanent installation.**

## PRODUCT SPECIFICATIONS

<b>Speaker Components</b>	15" Nd / 1"
<b>Description</b>	Multi Purpose Sound System
<b>Power</b> AES / Peak	500 W / 1500 W
<b>Impedance</b> nominal	8 Ω
<b>SPL</b> 1 W / Peak @ 1 m	99 dB / 131 dB
<b>Usable Range</b>	50 Hz - 20 kHz (-10 dB)
<b>Tuning Frequency</b> Excursion minimum	50 Hz
<b>X - Overpoint</b> acoustical	1,3 kHz
<b>Coverage</b> horizontal / vertical	90° x 60° - rotatable
<b>Max. Splay Angle</b>	- - -
<b>Connectors</b>	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
<b>Handles</b>	2 x
<b>Rigging / Fittings</b>	2 x M10 / 7 x M8 35 mm pole mount
<b>Weight</b>	23,5 kg
<b>Size</b> height x width x depth	69,8 x 45,0 x 42,5 cm
<b>Order No.</b>	<b>00270/II</b> <b>00270/AF/II</b> (installation version)



The 35 mm threaded stand socket is integrated in the carrying handle.




**Flying Bracket**



for A 8 / TSM 15 / F 8  
incl. screws  
(per unit: 2 pcs. M10 x 30 adjustable  
handle screws with axial bearing)  
Order No. **01217/set**

**Flying Bracket**



for A 8 / TSM 15 / F 8  
horizontal alignment, incl. screws  
(per unit: 2 pcs. adapters, M10 hex  
lock nuts, flat- and rubber washers)  
Order No. **01217/H/set**

**Handle Screw**



for flying brackets,  
axial bearing  
M10 x 30  
Order No. **08374**

**Ergostyle Lobe Knob**



for flying brackets,  
M10 x20, with grip, adjustable  
Order No. **08171**

**Flange**



for flying brackets,  
35 mm Ø → M10,  
Order No. **08126**

**Rubber Washer**



for flying brackets,  
40 mm  
Order No. **01205**

**Doughty Trigger Clamp**



for flying brackets,  
SWL 200 kg  
Order No. **01222**

**Steel Safety Cable**



4 mm - 50 cm  
Order No. **01376**

**Chain Fastener**



VBS 7 mm  
Order No. **01378**

**Ring Screw**



M10- DIN 580,  
black zinced  
Order No. **73700**

**TV Spigot**



10 mm internal thread,  
28 mm Ø  
Order No. **08128**

## ACCESSORIES A 8

### Wall Mount



for U-brackets, 40 kg max., incl. screws (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)

for 15" speakers

Order No. **08130/F400**

### Wall Mount



with tilt unit, 40 kg max.

Order No. **08130**

### Speaker Stand



Incl. wind up, 50 kg max., height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M

Order No. **03010**

### Cover



for A 8 / TSM 15, padded

Order No. **01240**


### Rain Cover



for A 8 / TSM 15

Order No. **01240/outdoor**

### Flight Case



for 2 pcs. A 8 / A 8 Sub / TSM 15, heavy duty, 9,0 mm birch multiplex, PVC coated, ball corners, 6 pcs recessed sprung handles, 4 pcs. butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16012/pro**