


Die TSM 10 ist ein multifunktionaler und kompakter Lautsprecher der Oberklasse. Aufgrund der optimierten Stimmendurchsetzung gute Eignung als hochwertiger Fullrange/HiMid Lautsprecher oder als universeller Monitor. Die Box überzeugt durch gute klangliche Eigenschaften, optimales Handling und Leistungsfähigkeit.

PRODUCT SPECIFICATIONS

Speaker Components	10" Nd / 1"
Description	Multi Purpose Sound System
Power AES / Peak	400 W / 1200 W
Impedance nominal	8 Ω
SPL 1 W / Peak @ 1 m	96 dB / 126 dB
Usable Range	60 Hz - 19 kHz (-6 dB)
Tuning Frequency excursion minimum	68 Hz
X - Overpoint acoustical	1,5 kHz
Coverage horizontal / vertical	90° x 60° - rotatable
Max. Splay Angle	- - -
Connectors	2 x Neutrik Speakon NL4MP in/out Coding: 1 +/- HiMid, 2 +/- loop thru
Handles	1 x
Rigging / Fittings	3 x M10 / 6 x M8 35 mm pole mount
Weight	14,5 kg
Size height x width x depth	51,5 x 32,4 x 29,5 cm
Order No.	00960/II




Ergonomischer Griff auf der Oberseite.



Anschlussfeld.



DIMENSIONS




Controller Setups finden Sie unter:


<http://www.seeburg.net/de/downloads>

COVERAGE PATTERNS

2D Directivity Plot - 90°x 60°horizontal



2D Directivity Plot - 90°x 60°vertical




Flying Bracket



for TSM 10/ A 4 horizontal alignment,
incl. screws
(per unit: 2 pcs. adapters, M10 hex
lock nuts, flat- and rubber washers)
Order No. **01220/H/set**

Flying Bracket



for TSM 10 / A 4
incl. screws
(per unit: 2 pcs. M10 x 20 ergostyle
lobe knob and rubber washers)
Order No. **01220/set**

Ergostyle Lobe Knob



for flying brackets,
M10 x20, with grip, adjustable
Order No. **08171**

Flange



for flying brackets,
35 mm Ø -> M10,
Order No. **08126**

Rubber Washer



for flying brackets,
40 mm
Order No. **01205**

Doughty Trigger Clamp



for flying brackets,
SWL 200 kg
Order No. **01222**

Steel Safety Cable



4 mm - 50 cm
Order No. **01376**

Chain Fastener



VBS 7 mm
Order No. **01378**

Ring Screw



M10- DIN 580,
black zinced
Order No. **73700**

TV Spigot



10 mm internal thread,
28 mm Ø
Order No. **08128**

ACCESSORIES TSM 10

Wall Mount



for U-brackets, 40 kg max., incl. screws (M10 x 70 mm socket head screw, M10 hex lock nut and flat washer)

for 8"-12" speakers
Order No. **08130/F/269**

Wall Mount



with tilt unit, 40 kg max.

Order No. **08130**

Speaker Stand



Incl. wind up, 50 kg max., height 129 to 204 cm, K&M

Order No. **03011**

50 kg max., K&M

Order No. **03010**

Cover



for TSM 10 / A 4, padded

Order No. **01242**

Rain Cover



for TSM 10 / A 4

Order No. **01242/outdoor**


Front Grille



for TSM 10, front grille version, foam behind

Order No. **97079/hex/compl.**


Flight Case



for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, 4 pcs. butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16049**


Flight Case Trunk



for 2 pcs. TSM 10 / A 4, heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 2 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16060**

Flight Case Trunk



fits for 4 pcs. TSM 10 / A 4 with flying brackets 01220. Heavy duty, 6,5 mm birch multiplex, PVC coated, ball corners, 6 pcs recessed sprung handles, butterfly catches, 100 mm blue wheels, 2 pcs. with brake, interior lined with felt.

Order No. **16063**



Frontgitter-Version

