SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Valve Oil Light

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricating oil Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

| Manufacturer / Supplier | Thomann GmbH Hans-Thomann-Straße 1 96138 Burgebrach info@thomann.de |
|---|--|
| Telephone: | +49 (0)9546 / 9223-0 |
| Contact Person: Telephone: E-mail: | Thomann Quality Management +49 (0)9546 / 9223-0 qs@thomann.de |
| 1.4 Emergency telephone number: | +49 (0)6131 / 19240 (Giftinformationszentrum Mainz) |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

| Health Hazards Aspiration Hazard | Category 1 | H304: May be fatal if swallowed and enters airways. |
|-------------------------------------|--|---|
| Hazard summary Physical Hazards: | No data available. | |
| Health Hazards | | |
| Skin Contact: | At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. | |
| Ingestion: | If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. | |

2.2 Label Elements

Product name: Valve Oil Light

Contains:

Hydrocarbons, low viscous



| • | | |
|--------------------------------|---|--|
| Signal Words: | Danger | |
| Hazard Statement(s): | H304: May be fatal if swallowed and enters airways. | |
| Precautionary Statement | | |
| General information: | P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. | |
| Response: | P301+P310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/ P331: Do NOT induce vomiting. | |
| Storage: | P405: Store locked up. | |
| Disposal: | P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. | |
| Supplemental label information | | |
| | EUH066: Repeated exposure may cause skin dryness or cracking. | |
| 2.3 Other hazards: | By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control. | |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of syntheti

Mixture of synthetic base oils with additives.

| Chemical name | Identifier | | REACH Registration No. | Notes |
|-----------------------------|---------------|------------------|------------------------|-------|
| Hydrocarbons, low viscous | EC: 918-167-1 | 50,00 - <100,00% | 01-2119472146-39 | |
| Hydrocarbons, low viscosity | EC: 500-228-5 | 5,00 - <10,00% | 01-2119493069-28 | |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

Product name: Valve Oil Light

Classification

| Chemical name | Identifier | Class | ification |
|-------------------------------|---------------|-------|-------------------------------------|
| Hydrocarbons, low viscous | EC: 918-167-1 | CLP: | Asp. Tox. 1;H304 |
| Hydrocarbons, low viscosity | EC: 500-228-5 | CLP: | Asp. Tox. 1;H304, Acute Tox. 4;H332 |
| CLP: Regulation No. 1272/2008 | | • | |

CLP: Regulation No. 1272/2008.

For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

| General: | Instantly remove any clothing soiled by the product. |
|--|---|
| 4.1 Description of first aid meas Inhalation: | u res Supply fresh air; consult doctor in case of symptoms. |
| Eye contact: | Promptly wash eyes with plenty of water while lifting the eye lids. |
| Skin Contact: | Wash with soap and water. |
| Ingestion: | Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do NOT induce vomiting. |
| 4.2 Most important symptoms and effects, both acute and delayed: | If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately. |
| 4.3 Indication of any immediate medical attention and special treatment needed | Get medical attention if symptoms occur. |

SECTION 5: Firefighting measures

| 5.1 | Extinguishing media | |
|-----|--|--|
| | Suitable extinguishing media: | CO2, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added |
| | Unsuitable extinguishing media: | Water with a full water jet. |
| 5.2 | Special hazards arising from the substance or mixture: | During fire, gases hazardous to health may be formed. |
| 5.3 | Advice for firefighters | |
| | Special fire fighting procedures: | Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water inaccordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. |

Product name: Valve Oil Light

| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. | | | | |
|--|--|--|--|--|--|
| SECTION 6: Accidental release m | SECTION 6: Accidental release measures | | | | |
| 6.1 Personal precautions, protective equipment and emergency procedures: | In case of spills, beware of slippery floors and surfaces. Keep away from sources of ignition - No smoking. | | | | |
| 6.2 Environmental Precautions: | Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water. | | | | |
| 6.3 Methods and material for containment and cleaning up: | Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk. | | | | |
| 6.4 Reference to other sections: | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal. | | | | |
| SECTION 7: Handling and storage | | | | | |
| 7.1 Precautions for safe handling: | Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation. | | | | |
| 7.2 Conditions for safe storage, including any incompatibilities: | Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. | | | | |
| 7.3 Specific end use(s): | not applicable | | | | |
| Storage Class: | 10, Combustible liquids | | | | |

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

| Chemical name | type | Exposure Limit Values | Source |
|---|------|-----------------------|--|
| Hydrocarbons, low viscous | AGW | 600 mg/m3 | Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) (2011) |
| Hydrocarbons, low viscosity - Respirable fraction. | МАК | 5 mg/m3 | Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) (2011) |

8.2 Exposure controls

Product name: Valve Oil Light

| Appropriate engineering controls: | Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
|--------------------------------------|--|
| Individual protection measur | es, such as personal protective equipment |
| General information: | Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the chemicals or the mineral oil products. |
| Eye/face protection: | Safety glasses (EN 166) recommended during refilling. |
| Skin protection Hand Protection: | Material: Nitrile butyl rubber (NBR). Min. Breakthrough time: >= 480 min Recommended thickness of the material: >= 0,38 mm Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the |
| | manufacturer of the protective gloves and has to be observed. |
| Other: | Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing. |
| Respiratory Protection: | Do not breathe dust/fume/gas/mist/vapors/spray. Provide adequate ventilation. In case of inadequate ventilation wear respiratory protection. Filter A/P2. |
| Thermal hazards: | Not known. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. |
| Environmental Controls: | No data available. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| liquid |
|-----------------------------|
| liquid |
| Colorless |
| Odorless |
| Not applicable for mixtures |
| not applicable |
| |

Product name: Valve Oil Light

| Freezing point: | Not applicable for mixtures |
|--|---------------------------------------|
| Boiling Point: | 175 °C |
| Flash Point: | > 60 °C (DIN EN ISO 2719) |
| Evaporation Rate: | Not applicable for mixtures |
| Flammability (solid, gas): | Value not relevant for classification |
| Flammability Limit - Upper (%)–: | Not applicable for mixtures |
| Flammability Limit - Lower (%)–: | Not applicable for mixtures |
| Vapor pressure: | Not applicable for mixtures |
| Vapor density (air=1): | Not applicable for mixtures |
| Density: | 0,77 g/cm3 (15 °C) (DIN 51757) |
| Solubility(ies) | |
| Solubility in Water: | The product is insoluble in water. |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | Not applicable for mixtures |
| Autoignition Temperature: | Value not relevant for classification |
| Decomposition Temperature: | Value not relevant for classification |
| Kinematic viscosity: | 1,7 mm2/s (40 °C, DIN 51562) |
| Explosive properties: | Value not relevant for classification |
| Oxidizing properties: | Value not relevant for classification |
| 9.2 Other information | |
| Minimum ignition temperature: | 265 °C (DIN 51794) |

SECTION 10: Stability and reactivity

| 10.1 Reactivity: | Stable under normal temperature conditions and recommended use. Stable under normal use conditions. |
|---|---|
| 10.2 Chemical Stability: | Stable under normal use conditions. |
| 10.3 Possibility of hazardous reactions: | None under normal conditions. Stable under normal use conditions. |
| 10.4 Conditions to avoid: | Avoid heat or contamination. Stable under normal use conditions. |
| 10.5 Incompatible Materials: | Strong oxidizing substances. Strong acids. Strong bases. Strong oxidizing substances. Strong acids. Strong bases. |
| 10.6 Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral Product:

Not classified for acute toxicity based on available data.

Product name: Valve Oil Light

| Duct name. Valve Oli Light | |
|---|--|
| Specified substance(s) Hydrocarbons, low viscous | LD 50 (Rat): > 5.001 mg/kg (OECD 401) |
| Hydrocarbons, low viscosity | LD 50 (Rat): > 5.000 mg/kg |
| Dermal Product: | |
| | Not classified for acute toxicity based on available data. |
| Specified substance(s) Hydrocarbons, low viscous | LD 50 (Rabbit): > 5.001 mg/kg (OECD 402) |
| Hydrocarbons, low viscosity | LD 50 (Rabbit): > 3.000 mg/kg |
| Inhalation | |
| Product: | ATEmix: 29,86 mg/l |
| | Dusts, mists and fumes |
| Specified substance(s) Hydrocarbons, low viscous | LC 50 (Rat, 4 h): > 5 mg/l (OECD 403) |
| Hydrocarbons, low viscosity | LC 50 (Rat, 4 h): 1,17 mg/l Dusts, mists and fumes |
| Skin Corrosion/Irritation: | |
| Product: Specified substance(s) Hydrocarbons, low | Based on available data, the classification criteria are not met. |
| viscous | Repeated exposure may cause skin dryness or cracking. |
| Serious Eye Damage/Eye Irri | itation: |
| Product: Specified substance(s) Hydrocarbons, low | Based on available data, the classification criteria are not met. |
| viscous | Based on available data, the classification criteria are not met. |
| Respiratory or Skin Sensitiz | ation: |
| Product: | Skin sensitizer: Based on available data, the classification criteria are not |
| | met. Respiratory sensitizer: Based on available data, the classification criteria are not met. |
| Specified substance(s) | |
| Hydrocarbons, low | |
| viscous | Based on available data, the classification criteria are not met. |

Product name: Valve Oil Light

| Germ Cell Mutagenicity Product: In vitro Specified substance(s) Hydrocarbons, low viscous | Based on available data, the classification criteria are not met. |
|--|--|
| | Based on available data, the classification criteria are not met. |
| In vivo Specified substance(s) Hydrocarbons, low viscous | Based on available data, the classification criteria are not met. |
| Carcinogenicity Product: Specified substance(s) Hydrocarbons, low | Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. |
| viscous | |
| Reproductive toxicity Product: Specified substance(s) Hydrocarbons, low viscous | Based on available data, the classification criteria are not met. |
| | Based on available data, the classification criteria are not met. |
| Specific Target Organ Toxicity - Single Exposure | |
| Product: Specified substance(s) Hydrocarbons, low | Based on available data, the classification criteria are not met. |
| viscous | Based on available data, the classification criteria are not met. |
| Specific Target Organ Toxic | |
| Product: Specified substance(s) Hydrocarbons, low | Based on available data, the classification criteria are not met. |
| viscous | Based on available data, the classification criteria are not met. |
| Aspiration Hazard Product: Specified substance(s) Hydrocarbons, low viscous | May be fatal if swallowed and enters airways. |
| | May be fatal if swallowed and enters airways. |
| Other Adverse Effects: | No data available. |

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity Product:

Based on available data, the classification criteria are not met.

Fish Specified substance(s) Hydrocarbons, low viscous

LC 50 (Fish, 96 h): > 1.000 mg/l (OECD 203)



Product name: Valve Oil Light

| Hydrocarbons, low viscosity | LC 50 (Fish, 96 h): > 1.000 mg/l |
|--|--|
| Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscous | EC 50 (Water Flea, 48 h): > 1.000 mg/l (OECD 202) |
| Hydrocarbons, low viscosity | EC 50 (Water Flea, 48 h): > 1.000 mg/l |
| Chronic ToxicityProduct: | Based on available data, the classification criteria are not met. |
| Aquatic Invertebrates Specified substance(s) Hydrocarbons, low viscous | NOEC (Water Flea, 21 d): > 1 mg/l (OECD 211) |
| Toxicity to Aquatic Plants Specified substance(s) Hydrocarbons, low viscous | EC 50 (Alga, 72 h): > 1.000 mg/l (OECD 201) |
| Hydrocarbons, low viscosity | EC 50 (Alga, 72 h): > 1.000 mg/l |
| 12.2 Persistence and Degradability | |
| Biodegradation Product: Specified substance(s) Hydrocarbons, low viscous | Not applicable for mixtures (OECD 301F) The product is not readily biodegradable. |
| 12.3 Bioaccumulative Potential | |
| Product: Specified substance(s) Hydrocarbons, low viscous | Not applicable for mixtures |
| | not applicable |
| 12.4 Mobility in Soil: Product: | Not applicable for mixtures |
| 12.5 Results of PBT and vPvB assessment: | The product does not contain any substances fulfilling the PBT/vPvB criteria. |
| 12.6 Other Adverse Effects: | No data available. |
| Water Hazard Class (WGK): | WGK 1: slightly water-endangering. |

Product name: Valve Oil Light

| SECTION 13: Disposal considerations | | |
|-------------------------------------|---|--|
| 13.1 Waste treatment method | S | |
| General information: | Dispose in accordance with all applicable regulations. | |
| Disposal methods: | Discharge, treatment, or disposal may be subject to national, state, or local laws. | |
| European Waste Codes | | |

13 02 06*: synthetic engine, gear and lubricating oils

SECTION 14: Transport information

ADR/RID

| 14.1 UN Number: | _ |
|--|---------------------|
| 14.2 UN Proper Shipping Name: | _ |
| 14.3 Transport Hazard Class(es) | |
| Class: | Non-dangerous goods |
| Label(s): | _ |
| Hazard No. (ADR): | - |
| Tunnel restriction code: | _ |
| 14.4 Packing Group: | - |
| 14.5 Environmental hazards: | - |
| 14.6 Special precautions for user: | _ |
| INDO | |
| IMDG 14.1 UN Number: | |
| 14.1 UN Number. 14.2 UN Proper Shipping Name: | = |
| 14.3 Transport Hazard Class(es) | - |
| Class: | Non-dangerous goods |
| Label(s): | |
| EmS No.: | _ |
| | |
| 14.3 Packing Group: 14.5 Environmental hazards: | _ |
| 14.6 Special precautions for user: | |
| 14.0 Special precaditoris for user. | - |
| ΙΑΤΑ | |
| 14.1 UN Number: | _ |
| 14.2 Proper Shipping Name: | _ |
| 14.3 Transport Hazard Class(es): | |
| Class: | Non-dangerous goods |
| Label(s): | - |
| 14.4 Packing Group: | _ |
| 14.5 Environmental hazards: | _ |
| 14.6 Special precautions for user: | _ |
| | |

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Product name: Valve Oil Light

| EU Regulations | | |
|--|---|--|
| Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none | | |
| Regulation (EC) No. 850/2004 on persistent organic pollutants: none | | |
| National Regulation | S | |
| Water Hazard Class (WGK): | WGK 1: slightly water-endangering. | |
| 15.2 Chemical safety assessment: | No Chemical Safety Assessment has been carried out. | |
| SECTION 16: Other inform | nation | |
| Revision Information: | Vertical lines in the margin indicate an amendment. | |
| Wording of the H-statements in section 2 and 3H304May be fatal if swallowed and enters airways.H332Harmful if inhaled. | | |
| Other information: | The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies. The classification results from the Conventional Method mentioned in regulation EU 1272/2008 (CLP). | |
| Revision Date: Disclaimer: | 08.07.2016 The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature. | |