iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

- Modular column loudspeaker for portable PA applications and high quality music playback
- Klark Teknik's revolutionary SST (Spatial Sound Technology) for creating 3D acoustic environments
- Extremely wide sound dispersion provides consistent sound to the audience and performers
- 1,000 Watt power, multi-channel Klark Teknik Class-D technology
- 3 channel digital mixer with gain setting recall
- Comprehensive remote control via Apple iPhone/iPad*
- High quality Bluetooth* stereo audio streaming
- DSP presets for application type and speaker positioning
- Intuitive single rotary control user interface with LCD display for ease of navigation
- 2 x 8" high excursion low frequency drivers for low distortion sub-bass response
- 8 x 2.75" neodymium drivers for clean midrange and high frequency reproduction
- Horn loaded super-tweeter extends high frequency range and throw
- Precision-lock, aluminium array system eliminates speaker stands and cables
- Road worthy birch plywood enclosure with hard wearing semi matt black paint Inish
- Rugged powder coated perforated steel mesh grille

Although we refer to it as a "column" loudspeaker, the INSPIRE iP1000 delivers the powerful, high-quality sound and optimised dispersion inspired by our award-winning line array products – in a surprisingly lightweight and easy to use, all-in-one form factor. Thanks to an on-board 3-channel digital mixer and multichannel 1,000-Watt Class-D ampli ⊡er driving a custom-



Turbosound

engineered dual 8" subwoofer, 8 x 2.75" neodymium drivers, and a horn loaded super tweeter, the iP1000 is ideally-suited for small to mediumsized performance venues, houses of worship, boardroom presentations, nightclubs, and much more.

The iP1000 is lightweight: only 24.8 kg (54.7 lbs) and features industryleading Klark Teknik Digital Sound Processing (DSP), Class-D amplicer and Spatial Sound technologies – plus convenient Bluetooth stereo audio streaming and iPhone/iPad remote control.

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

- Integral ergonomic carrying handles for ease of portability
- 3-Year Warranty Program*
- Designed and engineered in England

Tiny PA – 1,000 Watts of Perfect Sound

Designed for maximum portability, iP1000's two columns it neatly into the shoulder bag (available separately), and setup is fast and easy; just attach the column(s) to the base and connect your mic, or mixer feed, and power. Three channels of our revolutionary Class-D ampliirer technology provides 1,000 Watts of incredible sonic performance in an easy-to-use, ultra-portable and lightweight package. This amazing technology makes it possible to design and build extremely powerful products that are signiircantly lighter in weight than their traditional counterparts, while using less energy and protecting the environment. The lightweight

Switch Mode Power Supply, coupled with an industry-leading DSP module, provides dynamic equalisation and sophisticated limiting functions to ensure optimal performance and long-term reliability. The powerful iP1000 \Box Is the room with the world-famous Turbosound "sound" that has won the coveted Queen's Award – an unprecedented three times.

Outstanding Sound Dispersion

Much like the huge line array systems you've experienced at concerts and outdoor festivals (we make those too), the 2.75" neodymium midrange / extended high-frequency drivers in the iP1000 columns are strategically placed to provide up to a 120° horizontal dispersion pattern. Such wide coverage eliminates the need for monitor wedges for the performers, and creates a more even, sonically balanced soundscape that covers the entire room. By taking advantage of the arrival-time dicerential between sound waves reaching the left and right ears, iP1000's groundbreaking Spatial Sound Technology



(SST) creates a wide, well-de ned virtual 3-D acoustic environment, enveloping the listener in a rich and more realistic experience. No matter where you sit, the location of the onstage voices and instruments are perceived in their rightful position within the soundscape, for a performance that is beautifully open and transparent – with unparalleled intelligibility.



*Apple, iPhone and iPad are trademarks of Apple Inc. The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SG, Inc. and any use of such marks is under license. All third-party trademarks are the property of their respective owners. Their use neither constitutes a claim of the trademark nor all liation of the trademark owners with Music Group. Product names are mentioned solely as a reference for compatibility, ellects and/or components. Warranty details can be found at music group.com.

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



Klark Teknik – Inspired Technology

Klark Teknik is recognised worldwide as one of the most prestigious British audio companies, with a 40-year pedigree and even a TEC Lifetime Achievement Award to back it up. The Company has designed and manufactured products for world-class artists, and their legendary DN780 reverb processor is considered by leading audio engineers around the world as the industry standard. Check out their website to learn more about Klark Teknik's legendary heritage.

Turbosound is proud to incorporate custom-engineered Klark Teknik Class-D ampli ⊡er and DSP technologies into their products.

DSP-the Secret to Superb Sound

From the instant your signal enters the iP1000, the built-in DSP takes over ensuring the highest possible signal integrity. Much more than just selective EQ enhancement, the 24-bit processor analyses the incoming signal and intelligently applies speci \Box ters to actually improve the sound quality. It's like having an audio engineer monitoring the input and output signals, dialing in the perfect EQ and constantly making subtle adjustments to the crossover, compressor/limiter, three discrete ampli \Box channels and more – all of which adds up to signi \Box cantly better sound.





Custom-Engineered Drivers

Our speakers are designed speci cally for each application – it's what sets us apart from the competition. When you buy a Turbosound speaker system, you can rest assured that the speakers inside have been engineered to perform cawlessly in conjunction with every other element for truly professional results.

iNSPIRE iP1000


1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Built-in Digital Mixer - Total Remote Control

The iP1000 features a fully addressable onboard digital mixer with two combo jack/XLR connectors that accept balanced and unbalanced connections for dynamic mics and line-level instruments. The simple and intuitive user interface consists of a single rotary push-encoder with Process, Setup, Exit and Enter function buttons. A beautifully-backlit LCD panel displays parameters for Delay (up to 300 ms), Limiter, High/Low shelving and parametric EQs, and Presets. All settings can be controlled locally, or via free downloadable iPhone/iPad apps – and locked down to prevent unauthorised access.

We take Bluetooth a step further, giving you total control of the iP1000 directly from your iPhone or iPad. This amazing feature lets you adjust all settings from either the listening area or the stage, for the perfect sound every time. The dedicated apps are available free of charge at turbosound.com, or from the Apple App Store.





Bluetooth Ready

The days of tape decks, CD and even mp3 players are long gone. Now your music lives on your smartphone or computer tablet, so you can stop searching for those outdated cables and fancy adapters. An industry \Box rst, the iP1000 puts all your music at your \Box ngertips via stereo Bluetooth. Now with a simple wave of your hand, you can stream music from any Bluetooth-equipped iOS device, such as your iPad, iPod touch, iPhone – or even your laptop computer.

Stunning Performance - Superb Value

The INSPIRE iP1000 active PA loudspeaker stands head and shoulders above the rest of the pack and delivers exceptional performance, even when pushed to the limit. Ultra-lightweight and powerful with custom-designed transducers, an integrated mixer, stereo Bluetooth streaming, iPhone/iPad remote control, 1,000 Watts of Class-D output power and Digital Sound Processing, the iP1000 is ideal for both portable and installed applications – at a price unheard of in this class.

Experience the iP1000 at your local dealer today, or get yours online today – and let Turbosound take your performance to the next level!





iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming




You Are Covered

We always strive to provide the best possible Customer Experience. Our products are made in our own Music Group factory using state-of-the-art automation, enhanced production work Dows and quality assurance labs with the most sophisticated test equipment available in the world. As a result, we have one of the lowest product failure rates in the industry, and we con Dently back it up with a generous 3-Year Warranty program.

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Frequency Response Sensitivity 1 W / 1 m






iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Horizontal Beamwidth






Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Horizontal Polar Plots



UTurbosound

300

240


270


Portable Speakers


iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Dimensions









iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Technical Speci Cations

System	
Frequency response	0Hz-20kHz±3dB
	43Hz-20kHz-10dB
Nominal dispersion	20°H@-6dBpaints
Maximum SPL	22dB
Crossovertype	4 way, active and passive
Transducers	2x ⊡" (20⊡mm) LFdrivers
	□x27 [⊥] " (70mm) MFdrivers
	□x 🖾 (2□nm) HFcompression driver
Limiter	Independent HF, LF

Ampli⊡er

Maximumoutput power*	W000
Туре	Cass-D
Protection	Short dirauit, open dirauit, thermal
Amplifier channels	3

Connectors

Input A/ B	2xcombojadk/XLR
Sensitivity	4dBu, nominal
Input impedance	$[6k\Omega$ unbalanced, 33kΩbalanced
Meximuminput level	+22dBu
Linkoutput	XR
Mainssupply	IEO mains connector with integrated power switch

Controls	
Hardware	Rotary push-encoder
Software	icSinterfæeviaBuetooth
User DSPFunctions	

Factory EQpresets	Positioning, Sound mode
C -	
Dsplay	LCD 12 X 32, blue, backlit
Equalisation	Bass, middle and treble
Protection	Lock-out function for all settings

Bluetooth Wireless Technology

24021MHz~24:01MHz
79
Buetooth 4.0 dual mode
dBM
SupportsA2DP2 pro
30m (without interference)
Master-slave: stereopairinglink

Power Supply	
Power consumption	0W@18mex.power
Voltage (fuses)	
USA/ Canada/ Japan	00-20V~, 0/60Hz(T6.3AH20V)
UK/ Australia/ Europe	220-240 V~, 0/60 Hz (T3. AH2 0 V)
Korea/ China	220-240V~, 0/60Hz(T3 AH2 0V)



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

Endosure

Dimensions(HND)	9_x262x370mm(77.0x 0.3x 4.6")
Base	6 x262x370mm(2 x 0.3x 4.6")
Tower	[300x[03x[9mm([]]2x40x3.[")
Net weight	24. [kg ([4.7]bs)
Construction, base	□□mm(58) birchplywood
Construction, tower	Auminiumalloy
Finish	Semi mett blackpeint
Gille	Rowder coated perforated steel



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming

8;P1000
PROCESS SETUP EXIT ENTER
NV00F22 ZELOB EXIL FALSY



Portable Speakers

iNSPIRE iP1000

1,000 Watt Powered Column Loudspeaker with a Dual 8" Subwoofer, 9 Neodymium Drivers, Klark Teknik Spatial Sound Technology, Digital Mixer, Remote Control via iPhone/iPad and Bluetooth Audio Streaming





For service, support or more information contact the Turbosound location nearest you:

 USA/Canada Music Group Services NV Inc. Tel:+ 1702 100 1290 Email: ORE@rusic-group.com

Japan Music Group Services JP K.K. Tel: + 13623-04-4 Email: CARE@rusic.group.com

Music Group accepts no liability for any loss which may be su 🔤 red by any person who relies either wholly or in part upon any description, photograph, or statement contained herein. Technical specifications, appearances and other information are subject to change without notice. All trademarks are the property of their respective owners. Midas, Klark Teknik, Lab Gruppen, Lake, Tannoy, Turbosound, To Betronic, TO Helicon, Behringer, Bugera, DDA and TCApplied Technologies are trademarks or registered trademarks of Music Group IPLtd. @Music Group IPLtd. 2015 All rights reserved.

