

V FREE SERIES



Enjoy
Freedom

PROEL 

www.proel.com



PROEL V FREE systems gives you the freedom to perform your music or play your sound anywhere, with a **superb sound quality** and without the hassle of laying down cables or finding a power outlet.

V10FREE and **V12FREE** are **battery-powered** portable sound systems featuring a powerful **400W amplifier**, a built-in **3-channel mixer** with effect and tone controls and an advanced **MP3 player with BLUETOOTH connectivity**, featuring a large back-lit LCD display and able to play songs from SD card, USB MEMORY STICK or directly from your smartphone or tablet.

They includes also **two USB inputs** for connecting PROEL **U24H or U24B 2.4GHz Wireless Microphones with USB receiver**, available both with handheld and bodypack transmitter. Just plug in the ultra-compact USB receiver and you can instantly use a professional wireless system, offering a high-definition, interference-free transmission thanks to the 2.4GHz technology.

The premium loudspeakers, the Class D power amplifier and the sophisticated processing provide a superb sound quality, while the built-in Li-ion battery allows for up to **10 hours of mains-free continuous operation**, for the maximum freedom of use. Both these **ultra-portable and light-weight** systems (10kg and 11kg respectively) can be installed on standard speaker poles and the V12FREE is fitted with a luggage-style extra handle and two wheels.

V10FREE

- Bi-amplified 2-way system
- 1" high-definition neodymium compression driver
- 10" long-excursion woofer with 1.5" voice coil
- 400 W total peak power amplifier
- Li-Ion battery for 10 hours continuous use
- 3ch built-in mixer with MP3 player and BT
- Two USB inputs for 2.4GHz wireless microphones
- SPL MAX 122 dB
- Frequency response 60 Hz - 20 kHz
- 10 kg total weight



Luggage-style extra handle and wheels
(V12FREE)

V12FREE

- Bi-amplified 2-way system
- 1" high-definition neodymium compression driver
- 12" long-excursion woofer with 2" voice coil
- 400 W total peak power amplifier
- Li-Ion battery for 10 hours continuous use
- 3ch built-in mixer with MP3 player and BT
- Two USB inputs for 2.4GHz wireless microphones
- SPL MAX 123 dB
- Frequency response 50 Hz - 20 kHz
- 11 kg total weight



MP3 player with large LCD and BLUETOOTH connection



Rechargeable Li-Ion BATTERY for **10 hours** continuous use



Two USB inputs for connecting U24 2.4GHz wireless microphones



U24H
2.4GHZ USB Wireless
Handheld Microphone System



U24B
2.4GHZ USB Wireless
Bodypack Microphone System



The U24 directly connects to PC, Mac computers or portable devices for digital stand alone applications



* U24H and U24M are optional accessories

TECHNICAL SPECIFICATIONS

	V10FREE	V12FREE
MIXER Section		
MONO inputs	2 x MIC/LINE IN (XLR-F + 1.4" JACK)	2 x MIC/LINE IN (XLR-F + 1.4" JACK)
STEREO input	1 x LINE IN (2xRCA + MINI-JACK)	1 x LINE IN (2xRCA + MINI-JACK)
WIRELESS inputs	2 x USB TYPE-A	2 x USB TYPE-A
Internal EFFECT	ECHO	ECHO
Outputs	MONO LINE OUT (1.4" JACK)	MONO LINE OUT (1.4" JACK)
Main EQ	2-band EQ (HIGH + LOW)	2-band EQ (HIGH + LOW)
MULTIMEDIA Section		
Player Type	USB / SD / BLUETOOTH player	USB / SD / BLUETOOTH player
Compatible File Formats	MP3	MP3
Control Interface	LCD display, CONTROL buttons	LCD display, CONTROL buttons
AMPLIFIER Section		
Total Peak Power	400 W	400 W
Continuous Power	200 W	200 W
Amplifier Type	Class D	Class D
Power Supply	SMPS	SMPS
Processing	Analog	Analog
LOUDSPEAKER Section		
System Type	2-way vented enclosure	2-way vented enclosure
High Frequency Device	1" horn loaded neodymium compression driver	1" horn loaded neodymium compression driver
Low Frequency Device	10" woofer with 1.5"VC	12" woofer with 2"VC
Angular Coverage	90° H x 60° V	90° H x 60° V
Frequency Response	60 Hz - 20 kHz	50 Hz - 20 kHz
Max SPL	122	123
GENERAL Specifications		
Construction	Polypropylene	Polypropylene
Cabinet Colour	Black	Black
Handles	1 x top	1 x top, 1 x top retractable
Wheels	-	2 rear
Mounting Pole	1 x bottom	1 x bottom
Dimensions (WxHxD)	330 x 514 x 286 mm	380 x 603 x 359 mm
Weight	10 kg (22.1 lb.)	11 kg (24.3 lb.)
Recharge Battery	11.1 V / 8000 mAh Li-ion	11.1 V / 8000 mAh Li-ion
Battery Recharging Time	4-5 hours	4-5 hours
Battery Working Time	10-12 hours	10-12 hours
Power Supply	100 V-240 V ~ 50/60 Hz	100 V-240 V ~ 50/60 Hz
Rated Consumption	300 W	300 W

info@proel.com
www.proel.com

