



Miniatur-Lautsprechersystem für alle Anwendungen, bei denen eine besonders unauffällige Erscheinung, gute Klangeigenschaften und Leistungsdaten gefordert werden. Der sehr kräftige 4" Breitbandlautsprecher strahlt präzise ab und kann unverzerrte Pegel von über 113 dB erreichen. Umfangreiche Fliegepunkte, vielfältige Anschlussmöglichkeiten und der serienmäßige Bügel machen das i4 System zu einem universellen Beschallungswerkzeug für viele Nahfeldanwendungen.

PRODUCT SPECIFICATIONS


| | |
|---------------------------------------|---|
| Speaker Components | 4" wideband |
| Description | Multi Media Sound System |
| Powerhandling AES / Peak | 100 Watt / 300 Watt |
| Impedance nominal | 16 Ω |
| SPL 1m 1 Watt / Peak | 91 dB / 113 dB |
| Usable Range | 150 Hz - 16 kHz |
| Connectors | 2 x Neutrik Speakon 4-pole Coding: 1 +/- HiMid, 2 +/- loop thru 1 x Phoenix |
| Coverage horizontal / vertical | 80° x 80° conical |
| Rigging flying points | 3 x M10 1 x M6 on backplate |
| Weight | 1,6 kg |
| Size height x width x depth | 103 x 103 x 116 mm |
| Order No. | 00150 |



Ultra kompakt.




DIMENSIONS




MEASUREMENTS

2D Directivity Plot



Impedance



ACCESSORIES i4

Flying Bracket



for i4,
incl. socket screws,
2 x M10 x 20 mm

Order No. **01203**

Knurled Screw



for i4,
M10 x 20 mm

Order No. **73750**

Flightcase



for 4 pcs. i4,
with mounted flying brackets 01203,
heavy duty, 7,0 mm birch multiplex,
partition walls, 2 x recessed sprung
handles, 1 x medium butterfly catches,
rubber bases, interior lined with felt.

Order No. **16450**

Flightcase



for 8 pcs. i4,
with mounted flying brackets 01203,
heavy duty, 7,0 mm birch multiplex,
partition walls, 2 x recessed sprung
handles, 2 x medium butterfly catches,
interior lined with felt.

Order No. **16452**



Vielfältige Anschlussmöglichkeiten.